

**LIST OF INSTITUTIONS NOT CONSIDERED FOR OPENING OF NEW NURSING INSTITUTION FOR THE  
ACADEMIC SESSION 2023-24 (After Inspection)**

Sl. No.	Name & Address of the institute	District	Course	Intake capacity	status
1	SEVA COLLEGE OF NURSING AT-CALTAX CHHAWK, PO-PTC, DIST-ANGUL,PIN-759123	ANGUL	B.Sc-N	60	TEACHING EXPERIENCE OF PRINCIPAL 15 YEARS NOT COMPLIED AS PER INC NORM.
2	SARANGADHARA DASH INSTITUTE OF ALLIED MEDICAL SCIENCE AT/PO-KANGULA, DIST- ANGUL, PIN-759132	ANGUL	GNM	60	FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT AVAILABLE
3	ANGUL INSTITUTE OF MEDICAL SCIENCE AT-MISHRAPADA, PO-ANGUL, DIST-ANGUL, PIN-759122	ANGUL	GNM	60	1. PRINCIPAL - MAHESH KUMAR G LONI, JOINING LETTER & CONSENT NOT AVAILABLE. 2. INADEQUATE INFRASTRUCTURE - RENT AGREEMENT 9,700 SQFT COMPLIED BCC & BP NOT COMPLIED
4	ANGUL INSTITUTE OF MEDICAL SCIENCE AT-MISHRAPADA, PO-ANGUL, DIST-ANGUL, PIN-759122	ANGUL	B.Sc-N	60	1. PRINCIPAL - MAHESH KUMAR G LONI, JOINING LETTER & CONSENT NOT AVAILABLE. 2. INADEQUATE INFRASTRUCTURE - RENT AGREEMENT 28,500 SQFT COMPLIED BCC & BP NOT COMPLIED
5	ABHIRAM INSTITUTE OF MEDICAL SCIENCE, AT-NIGAGARH TOWN, HATATOTA ROAD, PO-HATATOTA, VIA-TALCHER, DIST- ANGUL, PIN-759100	ANGUL	ANM	30	FIRE SAFETY CERT FORM V NOT COMPLIED
6	SARANGADHAR DASH INSTITUTE OF MEDICAL SCIENCE, AT/ PO- KANGULA, DIST-ANGUL	ANGUL	B.Sc-N	60	REMARKS OF INSPECTING TEAM :- INSPECTION DENIED BY THE INSTITUTION
7	SAI SHRADHA COLLEGE OF NURSING, AT/ PO- ANGUL	ANGUL	B.Sc-N	60	REMARKS OF INSPECTING TEAM :- INSTITUTION BEHEAVED VERY RUDELY & IRRIATIONALLY TO THE INSPECTING TEAM SO THE INSPECTION CANCELLED
8	TITILAGARH COLLEGE OF NURSING, AT/ PO- BHATIPARA, VIA- TITILAGARH, DIST-BALANGIR, PIN- 767042	BALANGIR	B.Sc-N	60	IR NOT YET RECEIVED
9	TITILAGARH COLLEGE OF NURSING, AT/ PO- BHATIPARA, VIA- TITILAGARH, DIST-BALANGIR, PIN- 767043	BALANGIR	GNM	60	IR NOT YET RECEIVED
10	VIKASH B.Sc NURSING COLLEGE AT - JOGESWARPUR, NEAR TENTULIA THAKURANI, MANDIR, PO - JUNUGANJ, PS - BALASORE, DIST- BALASORE	BALASORE	B.Sc-N	60	PRINCIPAL ALREADY JOINED AT ANOTHER INSTITUTION

11	MANORAMA COLLEGE OF NURSING, AT/PO/PS - SERGARH , NH 16, DIST-BALASORE	BALASORE	B.Sc-N	60	FIRE SAFETY CERTIFICATE FOUND FAKE AS PER DFO CIRCLE BALASORE LT. NO. 1146/BLS.CLE DT. 17.12.2023.
12	JAYDEA SCHOOL OF NURSING, AT-DUMUNA SADAR, PO- REMUNA, DIST-BALASORE	BALASORE	B.Sc-N	40	INSPECTING TEAM NOT CONTACTED TO THE INSTITUTE
13	JAYDEA SCHOOL OF NURSING, AT-DUMUNA SADAR, PO- REMUNA, DIST-BALASORE	BALASORE	GNM	40	INSPECTING TEAM NOT CONTACTED TO THE INSTITUTE
14	PADMASHREE KRUTARTHA ACHARYA COLLEGE OF NURSING, AT - OLD NH-6 CHAKARKEND, PO-SOHELA ,VIA/DSIT-BARGARH, PIN -768033	BARGARH	P.B.B.Sc.-N	40	PRINCIPAL - SHERENE G. EDWIN (ALREADY JOINED AT ANOTHER INSTITUTION & JOINING & CONSENT LETTER NOT AVAILABLE)
15	MAHESWARI NURSING COLLEGE, AT-BHUBALI CHAWK , PO -BARGARH, DIST-BARGARH, PIN-768028	BARGARH	P.B.B.Sc.-N	60	PRINCIPAL - CHANCHAL KUMARI, HAS ALREADY JOINED AT ANOTHER INSTITUTION
16	BHARATI DEVI INSTITUTE OF NURSING, AT-BAGHAMARA,POST-BARIPUR BAZAR, DIST-BHADRAK, PIN-756112	BHADRAK	B.Sc-N	60	1. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL - THELMA MERIA SIMON EXPERIENCE 15 YEARS NOT COMPLIED 2. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT COMPLIED
17	SUBHAM COLLEGE OF NURSING, AT-NUABAZAR,PO-BHADRAK, DIST-BHADRAK, PIN-756100	BHADRAK	B.Sc-N	60	FIRE SAFETY CERTIFICATE FOUND FAKE AS PER DFO BALASORE
18	Cryogenex Institute Of Medical Science and Research, RANITAL PIN - 756111, Bhadrak	BHADRAK	GNM	60	1. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL 5 YEARS NOT COMPLIED 5. BUILDING COMPLETION CERTIFICATE NOT AVAILABLE FOR HOSTEL BLOCK.
19	SARALA INSTITUTE OF NURSING, AT-SAPANPUR, PO-SISUA, VIA-/THANA-SALIPUR, PIN-754202	CUTTACK	B.Sc-N	30	FIRE SAFETY CERTIFICATE WAS NOT ISSUED TO THE SAID OCCUPANCY AS PER DFO CIRCLE CUTTACK.
20	MAHARSI COLLEGE OF NURSING, AT - PANCHUPATI PO - SIMINAI, DHENKANAL SADAR PIN - 759025	DHENKANAL	GNM	60	INADEQUATE INFRASTRUCTURE 4500 SQFT. RENT AGREEMENT COMPLIED, BCC & BUILDING PLAN NOT COMPLIED.
21	AMIT COLLEGE OF NURSING, N.H 5 KANISI RANDHA ROAD RANDHA PIN - 761008	GANJAM	P.B.B.Sc.-N	40	FIRE SAFETY CERTIFICATE FORM-V FROM DFO -INVALID(VAID UPTO-10.01.2023)
22	CUTM Chhatrapur Campus School of Nursing, AT - INDUSTRIAL ESTATE, KALIABALI CHHAKA, PO - SRIRAMACHANDRAPUR, VIA - CHATRAPUR, DIST - GANJAM, PIN - 761045	GANJAM	B.Sc-N	60	FIRE SAFETY CERTIFICATE FORM -V FROM DFO NOT COMPLIED.
23	RUBY NURSING COLLEGE, AT - SUSHRUTA NAGAR, PO- GOVINDA BIHAR, MG ROAD, DIST- GANJAM	GANJAM	B.Sc-N	60	IR NOT YET RECEIVED

24	PRAMILA DEVI COLLEGE OF HEALTH SCIENCE, AT- K. BARIDA, BEGUNIAPADA, GANJAM	GANJAM	GNM	60	IR NOT YET RECEIVED
25	ZENESYS COLLEGE AND SCHOOL OF NURSING, PRAGYAN VIHAR,HAZIPUR,BIRIDI, DIST-JAGATSINGHPUR	JAGATSINGHPUR	B.Sc-N	60	TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL - LAXMI P 15 YEARS EXP. NOT COMPLIED AS PER INC
26	NUCLEUS INSTITUTE OF MEDICAL SCIENCES, AT-ARILO, PO-KADUAPADA, BALIBHAUNRI, JAGATSINGHPUR	JAGATSINGHPUR	ANM	60	FIRE SAFETY CERTIFICATE WAS NOT ISSUED TO THE SAID OCCUPANCY AS PER DFO CIRCLE CUTTACK.
27	NUCLEUS INSTITUTE OF MEDICAL SCIENCES, AT-ARILO, PO-KADUAPADA, BALIBHAUNRI, JAGATSINGHPUR	JAGATSINGHPUR	GNM	60	FIRE SAFETY CERTIFICATE WAS NOT ISSUED TO THE SAID OCCUPANCY AS PER DFO CIRCLE CUTTACK.
28	KAMALADEVI INSTITUTE OF MEDICAL SCIENCE,JAJPUR, AT-TARAPUR,PO-LAXMI NAGAR,PS-JAJPUR ROAD	JAJPUR	B.Sc-N	60	1. MOU OR TRUST RESOLUTION OF PARENT HOSPITAL NOT COMPLIED 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT COMPLIED
29	SHANTI COLLEGE OF NURSING, AT/PO:PS-BALICHANDRAPUR,PIN-7542005	JAJPUR	B.Sc-N	60	FORM-V FIRE SAFETY CERTIFICATE NOT COMPLIED
30	MANORAMA SCHOOL OF NURSING, AT-BADARUKHA, P.O-JARAKA, P.S-DHARMASALA, DIST-JAJPUR,755050	JAJPUR	GNM	60	FIRE SAFETY CERTIFICATE WAS NOT ISSUED TO THE SAID OCCUPANCY AS PER DFO CIRCLE CUTTACK.
31	JAGNYASENI SCHOOL AND COLLEGE OF NURSING, AT-BEHERAMAL,PO-OMP LINE, DIST- JHARSUGUDA, PIN-768204	JHARSUGUDA	B.Sc-N	50	FIRE SAFETY CERTIFICATE FORM -V FROM DFO - INVALID (VALID TILL- 17.05.2023)
32	FUTURE TIME PBB.SC NURSING COLLEGE AT/PO- KOSAKENDU , DIST-KALAHANDI, PIN-766001	KALAHANDI	P.B.B.Sc.-N	60	PRINCIPAL HEMAVATHY S JOINING LETTER NOT AVAILABLE & ALREDY JOINED AT ANOTHER INSTITUTION
33	IRMA INSTITUTE OF MEDICAL SCIENCES AT- HEAVEN'S GARDEN, COLLEGE ROAD, PO/PS- KESINGHA, DIST- KALAHANDI, PIN-766012	KALAHANDI	GNM	60	NOT RECOMMENDED BY INSPECTING TEAM DUE TO NON AVAILABILITY OF TEACHING & HOSTEL BLOCK (RECORDED IN IR)
34	IRMA INSTITUTE OF MEDICAL SCIENCES AT- HEAVEN'S GARDEN, COLLEGE ROAD, PO/PS- KESINGHA, DIST-NABARANGAPUR, PIN-766013	KALAHANDI	B.Sc-N	60	NOT RECOMMENDED BY INSPECTING TEAM DUE TO NON AVAILABILITY OF TEACHING & HOSTEL BLOCK (RECORDED IN IR)
35	SISTER CARE COLLEGE OF NURSING AT-KOSAKENDHU, PO-BHAWANIPATNA, DIST- KALAHANDI, PIN-766001,	KALAHANDI	B.Sc-N	60	DEFICIENCY NOT COMPLIED WITHIN THE STIPULATED TIME
36	BRIILLIANT B.SC NURSING COLLEGE AT/PO-GHUTUR, NEAR POST OFFICE, PS/DIST-KEONJHAR, PIN-758002	KEONJHAR	B.Sc-N	60	TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL 15 NOT AVAILABLE AS PER INC NORM.
37	TARINI SCHOOL & COLLEGE OF NURSING, DHOBADIHA CHHAK, DIST- KEONJHAR, PIN-758001	KEONJHAR	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT AVAILABLE 2. FIRE SAFETY CERTIFICATE FORM-III FOUND FAKE & FORGED AS PER DFO ROURKELA CIRCLE VIDE LT. NO- 468 DT. 11.08.2023

38	BAITARANI COLLEGE OF NURSING, AT/PO-GUTUR, DIST- KEONJHAR, PIN-758002	KEONJHAR	GNM	60	INADEQUATE INFRASTRUCTURE- 5400 SQFT COMPLIED, BCC & BP NOT COMPLIED
39	VIVEKANANDA COLLEGE OF NURSING, PLOT NO.18/2942 AND 18/2794 PARK LANE, KHANDAGIRI, BHUBANESWAR	KHORDA	GNM	60	DEFICIENCY NOT COMPLIED WITHIN THE STIPULATED TIME
40	PRATIVA INSTITUTE OF HOLISTIC HEALTH CARE, AT/PO - LUMBINI BIHAR VIA - CHANDRASEKHARPUR PIN - 751016	KHORDA	B.Sc-N	60	BUILDING PLAN & COMPLETION FOR REQUIRED INFRASTRUCTURE NOT COMPLIED.
41	AADYANSH COLLEGE OF NURSING, AT - GANGOTRI NAGAR, LANE - 3, SISUPALGARH - DHAULI PIN - 751002	KHORDA	B.Sc-N	60	1. REMARKS OF INSPECTING TEAM - INSTITUTE IS NOT READY FOR OPENING OF NEW NURSING INSTITUTION 2. INADEQUATE PHYSICAL FACILITY 3. HOSTEL BUILDING NOT SEEN ( NON - COOPERATION)
42	KHURDA SCHOOL OF NURSING, PLOT NO - 385, SARADHAPUR PO/PS - KHORDA PIN - 752055	KHORDA	B.Sc-N	40	1. VALID CLINICAL ESTABLISHMENT COPY NOT COMPLIED. 2. FIRE SAFETY FORM V FROM DFO NOT COMPLIED. 3. PRINCIPAL - SRIPRIYA C HAS ALREADY JOINED AT ANOTHER INSTITUTION - SAILABALA CON, KORAPUT
43	IGKC College of Nursing, AT - PLOT NO - 43/1695, GHATIKIA, PO - GHATIKIA, KALINGA NAGAR, VIA - KALINGA NAGAR, PIN - 751003	KHORDA	B.Sc-N	60	DEFICIENCY NOT COMPLIED WITHIN THE STIPULATED TIME
44	IGKC College of Nursing, AT - PLOT NO - 43/1695, GHATIKIA PO - GHATIKIA, KALINGA NAGAR VIA - KALINGA NAGAR, PIN - 751003	KHORDA	GNM	60	DEFICIENCY NOT COMPLIED WITHIN THE STIPULATED TIME
45	SAI SABURI NURSING & HEALTH SCIENCE COLLEGE, AT - PANCHAYAT ROAD, PURAN PADHAN, BALAKATI, BHUBANESWAR	KHORDA	M.SC NURSING	25	1. PRINCIPAL KALYANI KUMARI MISHRA HAS ALREADY JOINED AT ANOTHER INSTITUTION 2. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT COMPLIED FOR EDUCATIONAL BUILDING
46	MAA BAUTI NURSING CENTRE, AT - HALADIPADA	KHORDHA	B.Sc-N	60	INSPECTION CANCELED BY INSTITUTION
47	SAI STITI INSTITUTE OF MEDICAL SCIENCE, PLOT NO.-625/1846,BANSI VIHAR,ANDILO,PS-BALIANATA, DIST-KHORDHA	KHORDHA	GNM	60	MOU/TRUST RESOLUTION OF PARENT HOSPITAL WITH VALID CLINICAL ESTABLISHMENT CERTIFICATE COPY NOT COMPLIED

48	BHUBANESWAR NIGHTINGALE SCHOOL OF NURSING, PLOT NO.-668 MOUZA,AT/PO-KESARA BHUBANESWAR,KHURDA,PIN-751006	KHURDA	GNM	60	AS PER INSPECTION TEAM DT.16.08.2023, AT FIRST THE INSPECTION TEAM VISITED THE BUILDING SITUATED AT KESARA BHUBANESWAR, KHURDA, PIN-751006 FOR INSPECTING AS IT WAS MENTIONED IN THE LETTER, BUT THERE THE LAB AND OTHER ROOMS WERE UNDERCONSTRUCTION & RENOVATION. THATS WHY THE OWNER FORCED THE INSPECTING TEAM TO VISIT AN ANOTHER BUILDING AT DIFFERENT ADDRESS.
49	BHUBANESWAR INSTITUTE OF MEDICAL SCIENCE, AT/PO-PALASPUR,VIA-CHATABAR,DIST-KHORDHA,PIN-752054	KHURDA	ANM	60	FIRE SAFETY CERTIFICATE FOUND FAKE AS PER DFO PURI VIDE LT. NO-821 DT. 28.08.2023
50	SUNAAYANA COLLEGE OF MEDICAL SCIENCE, AT-BIKRAM NAGAR, NEAR LAXMI TALKIES, PO-JEYPORE, PIN-764001(ADDRESS CHANGED) NEW ADDRESS-AT-SATYA ADHIKARI CHOWK,PARABEDA,JEYPORE,DIST - KORAPUT	KORAPUT	B.Sc-N	40	INSTITUION ADDRESS MISMATCH WITH ONLINE APPLICATION ADDRESS AS PER INSPECTING TEAM.
51	SAILABALA INSTITUTE OF NURSING & MEDCAL SCIENCE, AT/PO-SEMILIGUDA,BLOCK-SEMILIGUDA,PIN-764036	KORAPUT	ANM	60	PRINCIPAL-BISWAJIT DALAI,EXPERIENCE-7Yr(S). ALREADY JOINED AT ANOTHER INSTITUTION
52	SAILABALA INSTITUTE OF NURSING & MEDCAL SCIENCE, AT/PO-SEMILIGUDA,BLOCK-SEMILIGUDA,PIN-764036	KORAPUT	GNM	60	PRINCIPAL-BISWAJIT DALAI,EXPERIENCE-7Yr(S). ALREADY JOINED AT ANOTHER INSTITUTION
53	BABA MALIKESWAR SCHOOL OF NURSING, PLOT NO.-1938, BHAGIRATHI NAGAR, MAIN ROAD, MALKANGIRI, PIN-764045	MALKANGIRI	GNM	60	FIRE SAFETY CERTIFICATE FOUND FAKE AS PER AFO MALKANGIRI LETTER NO-2944 DT. 25.09.2023
54	GAYATRI COLLEGE OF NURSING, AT- PLOT NO-66, WARD NO-15, JANARDANAPUR, PO/ VIA-BARIPADA,PIN-757001	MAYURBHANJ	ANM	60	PRINCIPAL MRs.A. MEENA,M.Sc.-N JOINING AND APPOINTMENT LETTER NOT COMPLIED.
55	GAYATRI SCHOOL OF NURSING, AT- PLOT NO-66, WARD NO-15, JANARDANAPUR, PO/VIA-BARIPADA, PIN-757001	MAYURBHANJ	GNM	60	PRINCIPAL MRs.A. MEENA,M.Sc.-N JOINING AND APPOINTMENT LETTER NOT COMPLIED.
56	BETNOTI SCHOOL OF NURSING, AT-BETNOTI, MAYURBHANJ , PIN-757025	MAYURBHANJ	ANM	60	TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL - DEBASMITA DAS, B.Sc-N, APPOINTMENT & JOINING AND 5 YEARS EXPERIENCE CERTIFICATE NOT COMPLIED.
57	BETNOTI SCHOOL OF NURSING, AT/PO-BETNOTI , PIN-757025	MAYURBHANJ	GNM	60	TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL - IPSITA SAHOO, M.Sc-N, APPOINTMENT & JOINING AND 5 YEARS EXPERIENCE CERTIFICATE NOT COMPLIED.

58	SSB REGIONAL INSTITUTE OF SCIENCE & TECHNOLOGY NURSING ACADEMY, AT/PO-CHITRADA	MAYURBHANJ	B.Sc-N	60	TEACHING EXPERIENCED CERTIFICATE OF PRINCIPAL MS.R JYOTHI,M.Sc.-N, 15 YEARS NOT COMPLIED.
59	VINAYAK INSTITUTE OF MEDICAL SCIENCE, AT- NILAKANTHA NAGAR, PO-NABARANGPUR, DIST- NABARANGAPUR, PIN-764059	NABARANGAPUR	GNM	50	DEFICIENCY NOT COMPLIED WITHIN THE STIPULATED TIME
60	NABARANGPUR SCHOOL OF NURSING AT/PO-SADASIBPUR, DIST- NABARANGAPUR, PIN-764059	NABARANGPUR	GNM	60	Observation of Committee OF INSPECTION TEAM:- 1. THE REQUIRED DOCUMENTS PRODUCED BY THE INSTITUTION HEAD HAS BEEN ATTACHED WITH THE CHECK LIST HEREWITH, BUT PHYSICAL NOT FOUND. 2. NO BUILDING WAS FOUND MATCHING AS PER THE BLUEPRINT 3. LAND AREA & SUPPORTIVE DOCUMENTS ARE NOT MATCHING ON THE DAY OF INSPECTION. 4. ON THE DAY OF INSPECTION BUILDING IS INCOMPLETE & UNDER CONSTRUCTION 5. THE PROPOSED INSTITUTION DOES NOT REACH EVEN THE MINIMUM STANDARD REQUIREMENT AS PER INC GUIDELINE (NOT RECOMMENDED BY INSPECTING TEAM)
61	DHARITRI NURSING SCHOOL AT/PO/ DIST- NABARANGPUR, PIN-764059	NABARANGPUR	GNM	30	DEFICIENCY NOT COMPLIED WITHIN THE STIPULATED TIME
62	DHARITRI NURSING SCHOOL AT/PO/ DIST- NABARANGPUR, PIN-764060	NABARANGPUR	B.Sc-N	40	DEFICIENCY NOT COMPLIED WITHIN THE STIPULATED TIME
63	UMASHANKAR ACADEMY OF MEDICAL SCIENCE, AT/PO - NABARANGPUR, DIST- NABARANGPUR	NABARANGPUR	GNM	60	TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL - BIRASHREE BISWAJITA BEHERA HAS ALREADY JOINED AT ANOTHER INSTITUTION
64	PATHANI SAMANTA COLLEGE OF NURSING AT-HATADWAR, PO-SIMILISAH, DIST- NAYAGARH, PIN-752094	NAYAGARH	B.Sc-N	60	Court Case of Pathani Samanta (the matter under subjudice vide W.P. (C) No. 16559 of 2023)
65	SRI JAGANNATH COLLEGE OF NURSING, AT/PO-BHOJPHR GHATI, VIA-SINAPALI, DIST-NUAPADA, PIN-766104	NUAPADA	P.B.B.Sc.-N	50	PRINCIPAL- K. DEVI ALREADY JOINED AT ANOTHER INSTITUTION
66	SRI SRI JAGANNATH SCHOOL OF NURSING AT-GHATIPADA, PO-KURUMPURI, DIST- NUAPADA, ODISAH-766105	NUAPADA	GNM	60	CLOSURE OF PRESENT RUNING GNM COURSE BY INSTITUTION VIDE LETTER NO. 565/ 10.08.2023
67	COLLEGE OF HEALTH CARE AT- PAGARPANI, PO-GODFULA, DIST- NUAPADA, PIN-766105	NUAPADA	B.Sc-N	60	PRINCIPAL- RAMESHA K H, MSC. (N) - 19 YEARS, JOINING LETTER NOT AVAILABLE & ALREADY JOINED AT ANOTHER INSTITUTION

68	PC COLLEGE OF NURSING, AT - GANESH BAZAR, PO - NIMAPARA VIA - NIMAPARA, DIST-Puri, PIN - 752106	PURI	P.B.B.Sc.-N	60	1.VALID FIRE SAFETY CERTIFICATE FORM- V FROM DFO NOT COMPLIED 2. PRINCIPAL RAJKANNAN N ALREADY JOINED AT ANOTHER INSTITUTION
69	BANSADHARA SCHOOL OF NURSING, AT - STATION ROAD, NEAR LIC OFFICE, GUNUPUR MOUZA, PO - GUNUPUR, DIST- RAYAGADA PIN - 765022	RAYAGADA	B.Sc-N	60	DEFICIENCY NOT COMPLIED WITHIN THE STIPULATED TIME
70	BANSADHARA SCHOOL OF NURSING, AT - STATION ROAD, NEAR LIC OFFICE, GUNUPUR MOUZA, PO - GUNUPUR, DIST- RAYAGADA PIN - 765022	RAYAGADA	GNM	60	DEFICIENCY NOT COMPLIED WITHIN THE STIPULATED TIME
71	GLOBAL INSTITUTE OF NURSING, Plot No- 8 & 8/418, SERIGUDA MOUZA, RAYAGADA, DIST- RAYAGADA, 765026	RAYAGADA	B.Sc-N	60	REMARKS OF INSPECTING TEAM :- INSPECTION REFUSED BY THE INSTITUTION DUE TO LEGAL ISSUE ON BUILDING
72	SAHAYOGA COLLEGE OF NURSING, AT - KASTURI NAGAR, 5TH LANE, DIST- RAYAGADA, PIN - 765001	RAYAGADA	B.Sc-N	60	PRINCIPAL ALREADY JOINED AT ANOTHER INSTITUTION
73	NEW SHINE INSTITUTE OF MEDICAL SCIENCES & TECHNOLOGY (ANM), AT - JYOTI NAGAR(MISSION CHOWK ) PO/PS - SUNDARGARH PIN - 770001	SUNDARGARH	ANM	60	FIRE SAFETY CERT. FOUNF FAKE & FORGED AS PER DFO CIRCLE, ROURKELA VIDE LETTER NO. 488/ 29.08.2023
74	COLLEGE OF NURSING, IGH, ROURKELA STEELPLANT	SUNDARGARH	B.Sc-N	60	1. TEACHING EXPERIENCE OF PRINCIPAL NABANITA JENA NOT AS PER INC NORM (MSC. PASSED OUT IN THE YEAR 2018)
75	GURUKUL INSTITUTE OF MEDICAL SCIENCE, AT - PABITRA NAGAR, MISSION ROAD, PO/VIA - SUNDARGARH PIN - 770001	SUNDARGARH	GNM	60	INVALID FIRE SAFETY CERTIFICATE NO - 49/2021/RKL CIRCLE, DATE - 04/08/2021 (VALID UPTO- 03.08.2023)
76	GURUKUL INSTITUTE OF MEDICAL SCIENCE, AT - PABITRA NAGAR, MISSION ROAD PO/VIA - SUNDARGARH PIN - 770001	SUNDARGARH	P.B.B.Sc.-N	60	INVALID FIRE SAFETY CERTIFICATE NO - 49/2021/RKL CIRCLE, DATE - 04/08/2021 (VALID UPTO- 03.08.2023)
77	GURUKUL INSTITUTE OF MEDICAL SCIENCE, AT - PABITRA NAGAR, MISSION ROAD PO/VIA - SUNDARGARH PIN - 770001	SUNDARGARH	ANM	40	INVALID FIRE SAFETY CERTIFICATE NO - 49/2021/RKL CIRCLE, DATE - 04/08/2021 (VALID UPTO- 03.08.2023)

78	JAIPRAKASH HOSPITAL AND RESEARCH CENTER PVT,LTD, AT - DAYANANDNAGAR, DANDIAPALLI, ROURKELA PIN - 769004	SUNDARGARH	B.Sc-N	60	FIRE SAFETY CERTIFICATE FORM -V FROM DFO NOT COMPLIED.
79	JAIPRAKASH HOSPITAL AND RESEARCH CENTER PVT,LTD, AT - DAYANANDNAGAR, DANDIAPALLI, ROURKELA PIN - 769004	SUNDARGARH	ANM	60	FIRE SAFETY CERTIFICATE FORM -V FROM DFO NOT COMPLIED.
80	JAIPRAKASH HOSPITAL AND RESEARCH CENTER PVT,LTD, AT - DAYANANDNAGAR, DANDIAPALLI, ROURKELA PIN - 769004	SUNDARGARH	GNM	60	FIRE SAFETY CERTIFICATE FORM -V FROM DFO NOT COMPLIED.