



ODISHA NURSES & MIDWIVES REGISTRATION COUNCIL
Directorate of Medical Education & Training, Bhubaneswar, Odisha-751001
e.mail: onmrc.odisha1@gmail.com , Contact: 9439991248

F. No: ONMRC-RENNOC(25-26)/85/2024 3498 Bhubaneswar, Dt. 06 // 08 // 2025

**LIST OF PRIVATE NURSING INSTITUTIONS OF RENEWAL NOC FOR THE ACADEMIC SESSION 2025-26 WHICH
ARE NOT RECOMMENDED**

SL NO	NAME & ADDRESS OF THE PRIVATE NURSING INSTITUTIONS FOR THE ACADEMIC SESSION 2025-26 (RENEWAL NOC)	DISTRICT	COURSE	INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	COMPASSION COLLEGE OF NURSING, BISWAL COMPLEX, RAJENDRA COLLEGE ROAD, ADARSA PADA, DIST-BALANGIR, PIN-767001	BALANGIR	B.Sc-N	60	1. AT THE TIME OF PERSONAL HEARING THE INSTITUTION CLARIFIED BUILDING IS NOT BLOCK WISE. 2. VALID FORM-V FIRE SAFETY CERTIFICATE NOT SUBMITTED.
2	Site ANM Training Centre , Pallishree Vihar, At/Po -Sadaipali , Dist-Balangir, Odisha – 767065	BALANGIR	ANM	40	1. FORM -V FIRE SAFETY CERTIFICATE FOUND FAKE & INVALID AS PER DFO SAMBALPUR VIDE LETTER NO.-275/SBP(CRL) DATED-01.05.2025.
3	SUPREME TASK GENERAL HOSPITAL & NETRANIKETAN, AT/PO/DIST-BALANGIR	BALANGIR	B.Sc-N	60	1. FORM -V FIRE SAFETY CERTIFICATE FOUND FAKE & INVALID AS PER DFO SAMBALPUR VIDE LETTER NO.-275/SBP(CRL) DATED-01.05.2025. 2. HOSPITAL AFFILIATION FOR THE SESSION 2025-26 NOT SUBMITTED.
4	Sushree Institute of Technical Education (SITE) -A, College of Nursing, Pallishree Vihar, At/ Po-Sadaipali, Dist -Balangir, Odisha-767065	BALANGIR	M.Sc-N	25	1. FORM -V FIRE SAFETY CERTIFICATE FOUND FAKE & INVALID AS PER DFO SAMBALPUR VIDE LETTER NO.-275/SBP(CRL) DATED-01.05.2025.
5	GURUKRUPA COLLEGE OF NURSING, AT/PO-MEGHADAMBURU,DIST-BALASORE, PIN-756001	BALASORE	B.Sc-N	60	1. PRINCIPAL M.Sc-N REGISTRATION CERTIFICATE FOUND FAKE. 2. NO VALID PRINCIPAL.
6	SAILASHREE SCHOOL AND COLLEGE OF NURSING, AT-BIT CAMPUS,PO-ARAMALA,VIA-SOMANATHPUR,DIST-BALASORE,PIN-756019	BALASORE	GNM B.Sc N	60 60	FIRE SAFETY CERTIFICATE INVALID AS PER DFO BALASORE VIDE LETTER NO- 683 DT. 04.06.2025.
7	SULAGNA INSTITUTE OF MEDICAL SCIENCE, SARITA NAGAR, MATHASAHI, BALASORE, ODISHA-756002	BALASORE	B.Sc N	60	1.PRINCIPAL (SHABOO YADAV) IS NOT HAVING 10 YEARS EXP. AFTER M.Sc- N REGISTRATION AS PER INC GUIDELINES.
8	MAHAVIR COLLEGE OF NURSING, AT-ARYAN COMPLEX, WARD NO.4, MOUZA-DANGA (NEAR ASHA KIRAN RESIDENT), PS/DIST-BARGARH, PIN-768028	BARGARH	B.Sc-N	40	ABSENT IN PERSONAL HEARING TO COMPLY THE FOLLOWING DEFICIENCY:- 1. VALID DOCUMENTS OF PRINCIPAL AND ALL TEACHING STAFF NOT SUBMITTED.
9	Choudwar School of Nursing, At/Po-Tota Sahi, Po-Uttampur, Balikuda, Dist-Cuttack, Odisha	CUTTACK	ANM	30	ANM COURSE CANCELLED BY THE INSTITUTION VIDE LETTER NO- CSON/580/2025 DT. 10.03.2025.

10	D R I E M S School and College of Nursing, At -Kairapari (Tangi), Po- Kotsahi Tangi, Dist- Cuttack, Odisha- 754022	CUTTACK	M.Sc N ANM PB Diploma GNM PB BSc N PhD B.Sc- N	40 60 to 90 100 (10 each specialty) 90 90 to 40 10 143 to 220	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER BUILDING COMPLETION CERTIFICATE NOT SUBMITTED.
11	Orissa Nursing Training Institute,AT- NANDOL(GANGAPUR), PO- MAHASINGPUR,VIA-BAHUGRAM, PS- SALIPUR, DIST-CUTTACK, PIN-754200	CUTTACK	ANM GNM	60 60	1. VALID FIRE SAFETY CERTIFICATE FORM -V FROM DFO AS PER BUILDING COMPLETION CERTIFICATE NOT SUBMITTED. 2. PRINCIPAL Mrs. MONALISHA BARIK DOCUMENTS NOT SUBMITTED.
12	VISION INSTITUTE OF MEDICAL SCIENCE & RESEARCH, AT-1300, PO- GOPALPUR,VIA-GOPALPUR, DIST- CUTTACK, PIN-753011	CUTTACK	B.Sc-N P.B.B.Sc-N ANM GNM	60 60 60 60 TO 100 (SEAT ENHANCEMENT)	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER INSPECTION REPORT & GEOTAGGED PHOTO NOT SUBMITTED.
13	ODISHA COLLEGE OF NURSING & MEDICAL SCIENCES, AT-PATIMAL, PO- MAHULAPADA, DHENKANAL,PIN- 759027	DHENKANAL	B.Sc-N GNM	60 60	FIRE SAFETY CERTIFICATE FOUND FAKE AS PER DFO ANGUL VIDE LETTER NO- 397 DT. 04.06.2025
14	SATYANARAYAN INSTITUTE OF ALLIED MEDICAL SCIENCE, AT- SHYAMCHARANPUR, PO-DHENKANAL	DHENKANAL	B.Sc-N	60	AS PER INSPECTION REPORT MINIMUM STANDARD REQUIREMENT NOT AVAILABLE:- 1. NO CLASS ROOMS AVAILABLE FOR B.Sc-N COURSE. 2. COMPUTER LAB & NUTRITION LAB NOT AVAILABLE. 3. TEACHING FACULTY ARE NOT AVAILABLE AT THE TIME OF INSPECTION. 4. BUILDING PHOTOS UPLOADED ARE IRRELEVANT & NOT SHOWN AT THE TIME OF INSPECTION
15	SATYANARAYAN ANM TRAINING SCHOOL, AT-SHYAMCHARANPUR, PO- DHENKANAL	DHENKANAL	ANM	30	AS PER INSPECTION REPORT MINIMUM STANDARD REQUIREMENT NOT AVAILABLE:- 1. ONLY TWO CLASS ROOMS AVAILABLE BUT ROOM SIZE NOT ADEQUATE AS PER GUIDELINE. 2. COMPUTER LAB & NUTRITION LAB NOT AVAILABLE. 3. TEACHING FACULTY ARE NOT AVAILABLE AT THE TIME OF INSPECTION.
16	SCHOOL OF NURSING CUTM PARALAKHEMUNDI , AT-ALLURI NAGAR, PO-R.SITAPUR, VIA-UPPALADA, PARALAKHEMUNDI, DIST- GAJAPATI, PIN-761211	GAJAPATI	B.Sc-N	60	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.
17	BERHAMPUR SCHOOL OF NURSING, AT/PO-RAMCHANDRAPUR,PO-DURA, VIA-NEAR BERHAMPUR UNIVERSITY, PIN- 760010	GANJAM	GNM B.Sc-N	60 60	1. AS PER DFO BERHAMPUR VIDE LETTER NO -124 DT. 23.04.2025 FIRE SAFETY CERTIFICATE HAS NOT BEEN ISSUED FROM THEIR OFFICE SUBMITTED BY THE INSTITUTION.

18	MANORAMA SCHOOL OF NURSING, BADARUKHA, PO-JARAKA, PS- DHARMASALA, DIST-JAJPUR, PIN- 755050	JAJPUR	GNM ANM	60 40	THE FOLLOWING DEFICIENCY NOT COMPLIED WITHIN THE STIPULATED DATE:- 1. NURSING BOARD AFFILIATION COPY. 2. AS PER INSPECTION REPORT THE ACADEMIC BUILDING IS G+1 MISMATCH WITH BUILDING PLAN AND BUILDING COMPLETION CERTIFICATE SHOWS BUILDING IS GROUND FLOOR.
19	ARYABHATT INSTITUTE OF MEDICAL SCIENCE, AT/PO - MAULIMA NAGAR, EKTALI, DIST - JHARSUGUDA, PIN - 768202	JHARSUGUDA	ANM GNM B.Sc-N	60 60 60	DURING PHYSICAL INSPECTION THE TEAM FOUND THAT. 1. NO EARMARKED BUILDING HAS BEEN TAKEN FOR THE PURPOSE OF ACADEMIC BUILDING OF NURSING INSTITUTE. 2. ALL NURSING COURSES ARE BEING TAKEN IN MULTI STORIED(G+4) WHICH IS MEANT FOR +2 COLLEGE. 3. THE BUILDING WHICH IS SHOWN FUNCTIONING NURSING COLLEGE BY AFFIXING BANNER AT PRESENT IS A HOSTEL BUILDING FOR THE STUDENTS OF +2 COLLEGE & NURSING STUDENTS.
20	Sabitridevi School of Nursing , At/po - Panikoili, Dist - Jajpur , Odisha -755043	JAJPUR	ANM	60	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.
21	Sradha School of Nursing , Shanti Bazar, Dharmasala , Dist - Jajpur, Odisha – 755008	JAJPUR	ANM	20	INSTITUTION NOT JOINED IN 2ND VIRTUAL INSPECTION TO CLARIFY ABOUT INFRASTRUCTURE.
22	KALAHANDI GNM COLLEGE OF NURSING, AT- PARAMANANDAPUR, PO- BHAWANIPATNA, DIST- KALAHANDI, PIN -766001	KALAHANDI	GNM B.Sc-N	60 60	FIRE SAFETY CERTIFICATE FOUND FAKE AS PER DFO BHAWANIPATNA LETTER NO- 303 DT. 20.04.2025
23	KALAHANDI SCHOOL OF NURSING, AT /PO/VIA-BHAWANIPATANA, DIST- KALAHANDI, PIN-766001	KALAHANDI	GNM	60 to 120 (Seat Enhancemen t)	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER INSPECTION REPORT, GEOTAGGED PHOTO, BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.
24	Creative Junior Nursing School, At- Kajala, Po/Dist- Kendrapada, Odisha- 754211	KENDRAPARA	ANM	20	INSTITUTION NOT JOINED IN 2ND VIRTUAL INSPECTION TO CLARIFY ABOUT INFRASTRUCTURE.
25	Bhava Institute of Medical Science Research 1480, I R C Village, Nayapalli, Bhubaneswar, Dist-Khurda, Odisha.	KHURDA	ANM	30	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.
26	Capital Academy of Nursing, Plot No. 853, Purana Pradhan, Near Panchayat Road, Balakati, Bhubaneswar, Dist- Khurda-752100, Odisha	KHURDA	M.Sc-N	50	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.
27	Capital Academy of Nursing, Plot No- 209, Kharvel Nagar, Unit-3 Prana Nath Marg, Bhubaneswar, Khurda	KHURDA	P.B.B.Sc -N	90	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.
28	EKAMRA SCHOOL OF NURSING, AT/PO - KHURDA, DIST- KHURDA, PIN - 752055	KHURDA	GNM	60	INSTITUTION NOT JOINED IN 2ND VIRTUAL INSPECTION TO CLARIFY ABOUT INFRASTRUCTURE.

29	Hi- Tech School of Nursing, Health Park, Pandara, Po- G.G.P, Bhubaneswar, Dist- Khurda-25, Odisha	KHURDA	ANM	60	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.
30	Hi-Tech College of Nursing, Health Park, Pandara, Po- G.G.P. Bhubaneswar- 751025, Odisha	KHURDA	P.B.B.Sc-N M.Sc-N	60 25	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.
31	Neelachal Institute of Medical Sciences, Block No. II, OCHC Complex, Unit-III, Kharavel Nagar, Bhubaneswar, Dist- Khurda-751001, Odisha	KHURDA	P.B.B.Sc.N M.Sc-N	30 20	1. VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO AS PER BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED. 2. NO PRINCIPAL APPOINTED TILL DATE
32	KHURDA SCHOOL OF NURSING, PLOT NO - 385, SARADHAPUR, PO/PS - KHURDA, DIST - KHURDA, PIN-752055	KHURDA	GNM B.Sc-N	60 40	1. BUILDING IS G+2 CONFIRMED DURING PERSONAL HEARING. 2. VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
33	Rajdhani School of Nursing , Plot No-33, Forest Park , Dist - Khurda, Bhubaneswar, Odisha-751009 ADDRESS CHANGE TO AT/PO - PLOT NO - 349/10894, NEAR ADITYA CARE HOSPITAL, BACKSIDE OF NANDADEVI APARTMENT, POKHRAM VILLAGE, VIA - CSPUR, BHUBANESWAR, PIN - 751020, DIST- KHURDA	KHURDA	ANM	40	1. VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED AS PER GEO TAGGED PHOTO .
34	RAJDHANI SCHOOL OF NURSING, AT/PO - PLOT NO - 349/10894, NEAR ADITYA CARE HOSPITAL, BACKSIDE OF NANDADEVI APARTMENT, POKHRAM VILLAGE, VIA - CSPUR, BHUBANESWAR, PIN - 751020, DIST- KHURDA	KHURDA	GNM	60	1. VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED AS PER GEO TAGGED PHOTO.
35	SAI NURSING COLLEGE, BANSIVIHAR, KIIT, BHUBANESWAR, DIST - KHORDHA - 751024	KHURDA	B.Sc-Nursing-N	60	ABSENT ON PERSONAL HEARING TO COMPLY THE FOLLOWING DEFICIENCY:- 1. VALID REGISTRATION CERTIFICATE OF PRINCIPAL Mrs. IAN CLEMENT A. 2. UNIVERSITY AFFILIATION FOR THE SESSION 2024-25. 3. COMPLETE GEOTAGGED PHOTO OF TEACHING AND HOSTEL BLOCK FROM OUTSIDE.
36	SARASWATI COLLEGE OF NURSING, AT - NUAGAON, PO - SISUPALGARH, DIST- KHURDA, PIN - 751002	KHURDA	ANM GNM B.Sc-N	60 60 60	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED AS PER BUILDING PLAN, COMPLETION CERTIFICATE & GEOTAGGED PHOTO.
37	STATESMAN ACADEMY OF MEDICAL SCIENCE, AT - INFOCITY ROAD, PATIA, BHUBANESWAR, DIST- KHURDA, PIN - 751024	KHURDA	GNM B.Sc-Nursing	60 60	FIRE SAFETY CERTIFICATE FOUND FAKE AS PER DFO KHURDA VIDE LETTER NO- 396 DT. 12.06.2025.
38	Orissa Health Education School Of Nursing, 1st Floor, Bhagirathi Nagar, Main Road ,Malkangiri 764045 , Dist-Malkangiri, Odisha	MALKANGIRI	ANM	30	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED AS PER BUILDING PLAN & COMPLETION CERTIFICATE.
39	ISHAAN INSTITUTE OF MEDICAL SCIENCE, AT/PO-ITAMATI , DIST - NAYAGARH, PIN- 752068	NAYAGARH	GNM	60	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED AS PER GEOTAGGED PHOTO.
40	Dibyajyoti School of Nursing , Prachi Vihar, Kakatpur , Dist - Puri-752108, Odisha	PURI	ANM	25	INSTITUTION NOT JOINED IN VIRTUAL INSPECTION ON DT.20.06.2025 TO CLARIFY ABOUT INFRASTRUCTURE.

41	GRAMYAPRAVA COLLEGE OF NURSING, AT-WOMEN'S COLLEGE ROAD, PO/PS-NIMAPARA, DIST-PURI, 752106	PURI	B.Sc-N	60	FIRE SAFETY CERTIFICATE NOT GENUINE AS PER DFO PURI VIDE LETTER NO- 794 DT- 06.05.2025.
42	Namitadevi School of Nursing, At-Uttara, Po- Kausalyaganga, Dist-Puri, Odisha – 751002	PURI	ANM	30	ABSENT ON PERSONAL HEARING TO COMPLY THE FOLLOWING DEFICIENCY:- 1. RENT AGREEMENT FOR 30 YEARS PLOT NUMBER 522/3158 & ROR FOR PLOT NUMBER-522/2073 & 522/3158. 2. LEGIBLE BUILDING PLAN FOR TEACHING AND HOSTEL BLOCK WITH PLOT NUMBER, KHATA NUMBER AND AREA DETAILS. 3. COMPLETE GEOTAGGED PHOTO OF TEACHING AND HOSTEL BLOCK FROM INSIDE(ALL WELL EQUIPPED LABS) AND OUTSIDE(COMPLETE VIEW OF EACH BLOCK FROM OUTSIDE WITH INSTITUTE BANNER). 4. AS PER INSPECTION REPORT BUILDING IS (G+2) SO FIRE SAFETY CERTIFICATE FORM V FROM DFO
43	Pallichandan School of nursing, Ps-Konark, dist-Puri CHANGED TO Pallichandan School of nursing, AT -GANESH BAZAR, PO/PS - NIMAPADA, PURI, 752106	PURI	ANM	40	INSTITUTION REFUSED TO CONTINUE THE ANM COURSE VIDE LETTER NO- 516/PCSN/25 DT. 26.06.2025.
44	PC COLLEGE OF NURSING, AT - GANESH BAZAR, PO/PS - NIMAPADA, PURI, 752106	PURI	P.B.B.Sc- N	60	FIRE SAFETY CERTIFICATE NOT GENUINE AS PER DFO PURI VIDE LETTER NO- 40 DT- 07.01.2025.
45	KOUTILYA NURSING SCHOOL, AT/PO - A. KATAPALI, PS - BURLA, DIST - SAMBALPUR, PIN - 768006	SAMBALPUR	ANM	40	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED AS PER BUILDING PLAN & COMPLETION CERTIFICATE.
46	SAI NURSING SCHOOL, AT/PO- KATAPALI,VIA -BURLA, DIST- SAMBALPUR, PIN-768006	SAMBALPUR	B.Sc-N	60	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED AS PER BUILDING PLAN & COMPLETION CERTIFICATE.
47	Saswoti School of Nursing, Dada Math Lane, Saradha Bali, Dist-Puri , Odisha- 752002	PURI	ANM	30	1. VALID FIRE SAFETY CERT FORM-V FROM DFO NOT SUBMITTED AS PER BUILDING PLAN & COMPLETION. 2. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL NOT SUBMITTED.
48	SRI JAGANNATH B.SC NURSING COLLEGE, AT - SARBODAYA NAGAR, PO - SARBODAYA, NAGAR, VIA - PURI, DIST- PURI, PIN - 752002	Puri	B.Sc-N P.B.B.Sc-N	60 60	VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED AS PER INSPECTION REPORT.
49	VIJAYANJALI COLLEGE OF NURSING, AT/PO- GADABHANGA,VIA- KHANTAPADA, DIST- BALASORE, PIN- 756043	BALASORE	B.Sc-N	60	DENIED FOR ONLINE INSPECTION VIDE LETTER NO-31/VCN/25 DT. 09.04.2025.
50	DRISHTI COLLEGE OF NURSING, AT/PO - KALINGA NAGAR, VIA - JANLA, DIST - KHURDA, PIN - 752054	KHURDHA	B.Sc-N	60	1. PRINCIPAL DOCUMENTS FOUND FAKE. 2. NO VALID PRINCIPAL
51	Dibya College of Nursing, Kandabhal, PO-Keari, Dist: Sundergarh, PIN-770001 ADDRESS CHANGE TO DIBYA COLLEGE OF NURSING, PLOT NO - 190, BADBAHAL, DIST- SUNDERGARH - 770073	SUNDARGARH	PHD-N	25	UNIVERSITY AFFILIATION COPY NOT SUBMITTED FOR PHD-N COURSE
52	Sambalpur Nursing College AT- ASA Academy PO- Jayantpur, Dist - Sambalpur, 768112, Odisha	SAMBALPUR	PHD-N	50	UNIVERSITY AFFILIATION COPY NOT SUBMITTED FOR PHD-N COURSE

Sd/
DMET (O) & Chairman, ONMRC