

OFFICE OF THE DEAN & PRINCIPAL
SAHEED LAXMAN NAYAK MEDICAL COLLEGE & HOSPITAL, KORAPUT

No. 584 /17

Dt. 11.7.17

To

The District Informatics Officer
NIC District Unit, Koraput

Sub: Uploading of Corrigendum in the website.

Madam,

With reference to the subject cited above I am to request you to upload the corrigendum enclosed herewith in soft copy in official website of the SLNMCH, Koraput as well as in the district website.

11.7.17
Dean & Principal,
SLN MCH Koraput
Medical College & Hospital
Koraput, Odisha

Memo No. 585 /2017

Copy alongwith copy of corrigendum submitted to the D.M.E.T, Odisha for favour of information and necessary action with a kind request to upload the corrigendum in the DMET, Odisha Website.

11.7.17
Dean & Principal,
SLN MCH Koraput
Medical College & Hospital
Koraput, Odisha

CORRIGENDUM TO PREBID MEETING HELD ON DT.27.07.2017 REGARDING TENDER FOR SUPPLY &

INSTALLATION OF LABORATORY ITEMS FOR SLNMCH, KORAPUT

Bid ref. No.: SLNMCH/2017-18/LAB/01

A. Queries on Commercial Parameters:

Sl. No.	Queries raised by prospective Bidders	Response to the Queries
1.	As EMD has to be furnished in BG form and most of the nationalised banks are not available in Koraput, the tender submission last date may be extended for another 10 days.	1. Last date & time of tender submission – 21.07.2017 (up to 5 P.M.) 2. Date & time of technical bid opening – 22.07.2017 (12 Noon)
2.	In price bid, the VAT/CST may be amended to GST.	Amended. Pl. refer Amendment No. 1.
3.	To consider the award criteria in lot 2 on the basis of individual item as in case of LOT 1.	No change.
4.	Bidder must submit proof of supply for available service centre in Odisha in last one year.	No change.
5.	Item wise evaluation should be done for LOT-1 Common High Value items.	No change.
6.	Demonstration of microscope should be essential under technical bid evaluation criteria.	No change. Pl. See Para 27.3 of General Conditions of Contract.
7.	The last date of tender may be extended by another 10 days.	Extended as follows – 1. Last date & time of tender submission – 21.07.2017 (up to 5 P.M.) 2. Date & time of technical bid opening – 22.07.2017 (12 Noon)

Amendments

1. Technical Parameter:

Queries & subsequent amendment on Technical specification

1. Item Name: Monocular Microscope

Queries: The illumination from LED may be allowed.

Amendment: Should have LED illumination.

2. Item Name: Binocular Microscope

a) Queries: May not have 6V, 20W of LED illumination.

Amendment: Should have LED illumination.

b) Queries: Diopter adjustment may not available in both the eye piece.

Amendment: Should have diopter adjustment in the either of eye piece.

DEAN & PRINCIPAL

Saheed Laxman Nayak
Medical College & Hospital

3. Item Name: Research Binocular Microscope

a) Queries: The name Binocular Research Microscope may be corrected as "Trinocular Research Microscope".

Amendment: The name Binocular Research Microscope is corrected as "Trinocular Research Microscope".

b) Queries: Digital camera as a separate attachment may be allowed and image may be viewed on computer system instead of digital LCD screen.

Amendment: The digital camera of 5 MP should be built in or as separate attachment. The image should be displayed on 9 inch digital HD LCD screen or in laptop computer system with HD monitor screen. In the case of separate system, the necessary laptop computer system with software and all communication attachments should be provided.

c) Queries: May not have 6V, 20W of LED illumination.

Amendment: Should have LED illumination.

d) Queries: Diopter adjustment may not available in both the eye piece.

Amendment: Should have diopter adjustment in the either of eye piece.

4. Item Name: Semi Automatic Rotary Microtome

a) Queries: Thickness of section setting range may be rectified.

Amendment: Thickness of section setting range should be 5 to 500 μm , from 5 to 100 μm in 5 μm , increments, from 10 to 100 μm in 10 μm increments, from 100 to 200 μm in 20 μm increments, from 200 to 500 μm in 50 μm increments.

b) Queries: Horizontal & Vertical specimen feed may be 28mm & 54mm subsequently.

Amendment: Horizontal specimen feed should be approx.28mm or more and vertical specimen feed should be approx. 54mm or more.

c) Queries: Two motorized forward specimen coarse feed may not available in semi automatic system.

Amendment: Two motorized forward specimen coarse feed is not mandatory.

d) Queries: Knife holder or knife may not be required and incurs additional cost to product.

Amendment: Knife holder or knife with base is not mandatory to quote, however disposable microtome knife should be provided.

e) Queries: Product certification like CE may be asked.

Amendment: Product should be CE certified.

5. Item Name: Automatic Tissue Processor

a) Queries: System may have in built centrifugal or vacuum control.

Amendment: System should have in built centrifugal or vacuum control.

b) Queries: Capacity of >100 cassettes may be specified.

Amendment: Should have capacity of 120 to 150 cassettes or more.

c) Queries: External UPS may not be required in case of inbuilt power back up.

Amendment: In case of availability of inbuilt battery, external UPS need not to be supplied.

d) Queries: Product certification like CE may be asked.

Amendment: Product should be CE certified.

6. Item Name: 5 Part Diff. Random Access Haematology Analyser

a) Queries: Throughput of 80 samples per hour may not be available.

Amendment: Should have throughput of 60 samples per hour.

b) Queries: Minimum sample aspiration volume should be specified.

Amendment: Minimum sample aspiration volume should be atleast 20 μL .

c) Queries: Instrument may have fully automated fluorescence flow cytometry based 6-part differential haematology Analyser. (IG reportable parameters)

Amendment: Instrument should be fully automated fluorescence flow cytometry based 6-part differential haematology Analyser having IG as reportable parameters.

HEAL & PHARMACY
 12, Jln. Pahlawan
 Kembangan, Jakarta
 12160

7. Item Name: Paraffin Embedding Bath

- a) **Queries:** Range of setting temperature of cooling system is -35 C to -50 C may not be available.
- Amendment:** Range of setting temperature of cooling system should be upto -3degC or less.
- b) **Queries:** Range of temperature for forceps table, paraffin dispenser, cassette bath and working surface may not be from ambient to 99 degC.
- Amendment:** Range of temperature for forceps table, paraffin dispenser, cassette bath and working surface should be from ambient to 60 degC.

8. Item Name: Automatic Slide Staining Instruments

- a) **Queries:** May have 8 program of up to atleast 12 steps and 20 specimen slides per rack instead of 15 programmes and 25 steps.
- Amendment:** Should have atleast 8 programs of up to atleast 12 steps and 20 specimen slides per rack.
- b) **Queries:** Reagent capacity of minimum 450ml, should be there.
- Amendment:** Should have reagent capacity of minimum 300ml.

Lot 2/ Package 3: DEPARTMENT OF BIOCHEMISTRY

1. Item Name: Auto analyser (300 throughput)

- a) **Queries:** Throughput should be clearly specified.
- Amendment:** As mentioned in the item name, throughput should be 300 tests/hr, excluding ISE
- b) **Queries:** Sample position or no. of test performed simultaneously may be reduced from 100 tests.
- Amendment:** Sample position or no. of test performed simultaneously should be 50 tests or more.
- c) **Queries:** Reagent position may be reduced from 70 or more.
- Amendment:** Reagent position should be 50 or more.
- d) **Queries:** Sample probe and reagent probe may be different to avoid cross contamination.
- Amendment:** Sample probe and reagent probe should be separate.

2. Item Name: Auto analyser (150 throughput)

- Queries:** May have onboard laundry system.
- Amendment:** Should have onboard laundry system for complete cleaning and drying.

Lot 2/ Package 9: DEPARTMENT OF PHARMACOLOGY

1. Item Name: Digital Plethysmograph

- Queries:** The technical specification is complete in nature and may be amended.
- Amendment:** The detail specification is as follows,
- The system should have all in one compact controller unit with integrated, automated, software regulated bias flow to provide easy plug and play operation.
- The 1 or 2 high quality plethysmographs chamber should be featured with pneumotachograph which should improve the signal-to-noise ratio and reduces unnecessary breath rejection for analysis.
- The system should have a Pre-calibrated digital Temperature and Humidity sensors.
- The Calibration process for the system should be 100% automated, No manual Calibration.
- The unit should have integrated nebulizer controller and Low BIAS flow noise –minimize signal to noise ratio, critical in WBP application.
- The unit should have software controlled aerosol nebulizer with flow rate 0.1ml/min and Particle size of 5 micron or less and capable of nebulizing in chambers.
- The system should have integrated gas automation facility.
- The complete experiment should be controlled through the software and the hardware.

Intex/Logitech make camera.
 Emergence test Conditioned Place Preference Novel Object Recognition Supplied with open field, plus maze, O maze, Black and white box Water maze, Radial Maze, T maze
 The software should cover wide variety of applications: Motor and locomotor activity Anxiety- RAM 2GB or more, Hard Disk 1TB or more USB port colour Monitor should be provided.
 Computer with Windows XP/7/8 or 10 Operating System Core i3 or upgraded processor type
Amendment: The amended specification is as follows,
 and Video camera & Video monitor requirements may be clearly specified.
Queries: The software features and configuration of computer system may be incorporated

software to record data
 4. Item Name: Water maze (Mories) for rat and mice with video tracking system, Computerised

Amendment: Heating platform should be made of thick special grade plastic plate. aluminium plate.
Queries: Heating platform may be made of thick special grade plastic plate instead of

3. Item Name: Tail flick apparatus/ Analgesimeter

- Manufacturer should be ISO & CE Certified with all standard certifications.
- System should be compatible with both WINDOWS & MACINTOSH operating systems.
- data anywhere from outside the lab through internet.
- It should allow students and educators to access experiment material as well as the recorded
- It should be supplied with signal conditioners & force transducer (0-50g) and PC with Printer.
- years.
- The software should be provided with free experiments and software updates for at least 5
- Muscle and Nerve Fatigue, Nerve Threshold, Nerve Refractory Period,
 Twitch Recruitment, Effect of Stretch on Contractile Force, Muscle Summation, Muscle Tetanus,
 – Nerve, Muscle, force, latency, fatigue, Tubocurarine etc, Frog Sciatic Nerve & Skeletal Muscle:-
 Block, Hear Refractory Period, Vagal Escape, Frog Neuromuscular Junction:- Twitch Recruitment
 Heart Experiments :- Temperature Effects, Starling's Law of the Heart, Drug Effects, Conduction
 Vascular Resistance Vascular Smooth Muscle, Mammalian Blood Pressure -Drug Effects and Frog
 Vas Deferens, Toad Rectus Abdominis, Unstimulated Ileum, Unstimulated Rat Vas Deferens,
 Mammalian Atria, Mammalian Jejunum, Mammalian Uterus, Stimulated Ileum, Stimulated Rat
 Simulated Experiments/Preconfigured Experiments list should include :- Chick BiventerCervicis,
 recording/analysis & easy customization of the experiments.
 • At-least 50 ready to use experiments for animal physiology with sample data & real time
 record the movements/displacements through the force transducer (0-50 gms) along with
 required accessories.
 • A high quality Perspex single unit organ bath with inbuilt water-pump, gas diffuser, digital
 temperature controller, filling/drainng knobs with easy set up for conducting experiments to
 record the movements/displacements through the force transducer (0-50 gms) along with
 required accessories.

The System should have:-

accessories, Dales isolated organ bath, Accessories for organ bath is as follows:
Amendment: The revised specification after combining the three items i.e. kymograph with
Queries: The item no. 1, 10, 11 is a combine system. Hence may be combined as a single item.

2. Item Name: Kymograph with accessories

- Original windows 10 ,licensed MS office should be provided.
- Compatible Computer with intel i5 processor, 4GB RAM, 1TB HDD and 21 inch screen, wifi,
 - prism™ and other statistical package for desired processing and interpretation.
 - The software should be exported to various file format like .txt, Excel, SPSS™, Graph pad
 - Response, PC200, Time Course, Antagonist, Toxicity, and more
 - The software should provide automated reporting capabilities like instant reports for Dose

➤ Light arrangement in the room should be such that during the video recording, there should not be any reflection of light on the maze. Room size should be such that the light arrangement should not create the light reflections on the maze during video recording. Height of the room should be such that, camera fitted on the top can capture the complete maze with proper visibility of animal on the / in the maze.

5. Item Name: Animal grip Strengthmeter

a) Queries: Standard cable length may be 4ft.instead of 6ft.
Amendment: Standard cable length should be 4ft.

b) Queries: May have LCD or TFT screen.
Amendment: Should have LCD or TFT screen.

6. Item Name: Rotarod Assembly

a) Queries: May be made of black acrylic material instead of Perspex amite (lanes)
Amendment: Should be made of black acrylic material.

c) Queries: Acceleration modes may be modified.
Amendment: In acceleration mode, speed range should be 10 to 50RPM in steps of 5RPM and acceleration time of 60 to 300mins.in multiple of 60secs.

7. Item Name: Cook's Pole Climbing Apparatus

a) Queries: Electrical shock pulse rate may be changed from 400V to 16 to 200V with rate of 0.1mA.
Amendment: Electrical shock pulse rate should be 16 to 200V with rate of 0.1mA.

b) Queries: Output available for recording on kymograph or polygraph complete to work on 220V
AC has no relevance in operation.
Amendment: The said point is deleted from the specification.

8. Item Name: Sipper Bottle

Amendment: The said point is deleted from the specification.

b) Queries: The specification is obsolete and may be changed.
Amendment: Polycarbonate Water Bottle Capacity of 250 ml. Animals Mice, Rat Cap: Silicon bush with S.S. Cap Press fit Style Sipper tube type: S.S. 304 Nozzle

Lot 2/ Package 2: DEPARTMENT OF PHYSIOLOGY

Item Name: Haemocytometer

Queries: Attached suction bulb needs to be deleted.
Amendment: Attached suction bulb is deleted.

Lot 2/ Package 5: DEPARTMENT OF PATHOLOGY

Item Name: Freezing Microtome

a) Queries: Cryo chamber temp. and specimen cooling temp. range may be upto -35degC.
Amendment: Cryo chamber temp. setting should be of 0 to -35degC and specimen cooling temp. range should be -10 to -35degC.

b) Queries: Microtome section thickness setting range may be 1 to 30um instead of 0.5 to 30um.
Amendment: Microtome section thickness setting range may be 1 to 30um.

c) Queries: UV disinfection or UV + ozone disinfection or ozone disinfection or UV, UV + COLD D or COLD D disinfection may be asked.
Amendment: No Change

Item Name: Cyto Centrifuge

a) Queries: The rpm level may be minimised to 200rpm.
Amendment: No Change

b) Queries: Product certification like CE may be asked.
Amendment: Product should be CE certified.

Lot 2/ Package 4: DEPARTMENT OF COMMUNITY MEDICINE

Item Name: Dissecting Microscope

The technical specification for this item is deleted and has been amended as follows:

- Should be a monocular microscope.
- **Objective Lenses:** DIN 4x, 10x, 40x objectives mounted on revolving objective turret and should be achromatic, parfocal, parcentered, color coded.
- 45° inclined viewing head should rotate 360° for easy repositioning
- **Eyepieces:** 10x eyepiece.
- **Total Magnification:** 40x, 100x, 400x
- **Specimen Stage:** Locked-on spring activated stage clips.
- **Illumination:** LED illumination with on/off switch
- Should run on rechargeable batteries (included) and should include recharger for 230V power supply.

1. The following items along with required quantity is being added under the Lot.3/Package 5 (Department of Pathology). Such as

All items should be made of hard borosilicate glass

Items	Unit	Qty.
Museum Jars: 140 x 215 x 100mm-		40
Museum Jars 225 x 225 x 125mm		40
Museum Jars 220 x 140 x 140mm		40
Beaker	100ml	50
Beaker	250ml	25
Beaker	500ml	25
Beaker	1000ml	5
Measuring Beaker with handle		5
Burette	10 ml 100 divisions	50
Burette stands	22X15"	30
Burette clamp		50
Bottles for reagents(stoppered)	100 ml	100
Bottles for reagents(stoppered)	250m ml	50
Bottles for reagents(stoppered)	500 ml	25
Bottles for reagents(stoppered)	1000 ml	10
Wash bottles	1000 ml	60
Large water bottles with tap	5000 ml	4
Measuring Cylinders	25 ml	10
Measuring Cylinders	100 ml	10
Measuring Cylinders	500 ml	10
Measuring Cylinders	1000 ml	10
Graduated Centrifuge tubes with cap	15 ml	500
Plain Centrifuge tube	15 ml	500
Gloves	7"	1 packet
Hand Protector grip	7"	1 packet
Glass pipette	1 ml	50
Glass pipette	2 ml	50
Glass pipette	5 ml	50

BEAN & PUNJIBAI
 Dated 12/08/2024
 Medical College & Hospital
 Kuvempu, CHSRA

DEAN & PRINCIPAL
 Saheed Laxman Nayak
 Medical College & Hospital
 Koraput, ODISHA

Items	Units	Numbers
Beaker	100ml	50
Beaker	250ml	25
Beaker	500ml	25
Beaker	1000ml	5
Measuring Beaker with handle		5
Burette	10 ml	50
	100 divisions	
Burette stands	22X15"	30

2. The following items along with required quantity is being added under the Lot.3/Package 8 (Department of Pharmacology). Such as

Glass pipette	10ml	50
Pasteur pipette	3 ml	100
Auto pipettes	10-100 micro litre	5
Auto pipettes	20-200 micro litre	5
Auto pipettes	100-1000 micro litre	5
Rubber teats		50
Measuring Scoops	10 packets	
Glass slides for microscope		100
Universal micro tipbox		20
Tips for autopipettes	10-100 micro litre	1000
Tips for autopipettes	20-200 micro litre	1000
Tips for autopipettes	100-1000 micro litre	1000
Test tube	15 ml	1000
Test tube	20 ml	1000
Test tube(Thick)	30 ml	500
Test tube racks		50
Test tube holder		60
Test tube brush different sizes		10
Conical flasks	100 ml	50
Conical flasks	250 ml	20
Conical flasks	500 ml	10
Conical flasks	1000 ml	10
Conical flasks	2000 ml	10
Round bottom flask	100 ml	100
Volumetric flask	500 ml	10
Volumetric flask	1000 ml	10

DEAN & PRINCIPAL
 Saheed Lakman Nayak
 Medical College & Hospital
 Koraput, Odisha

50		Burette clamp
100	100 ml	Bottles for reagents(stoppered)
50	250ml ml	Bottles for reagents(stoppered)
25	500 ml	Bottles for reagents(stoppered)
10	1000 ml	Bottles for reagents(stoppered)
60	1000 ml	Wash bottles
4	5000 ml	Large water bottles with tap
10	25 ml	Measuring Cylinders
10	100 ml	Measuring Cylinders
10	500 ml	Measuring Cylinders
10	1000 ml	Measuring Cylinders
500	15 ml	Graduated Centrifuge tubes with cap
500	15 ml	Plain Centrifuge tube
	7"	Gloves
	1 packet	Hand Protector grip
50	1 ml	Glass pipette
50	2 ml	Glass pipette
50	5 ml	Glass pipette
50	10ml	Glass pipette
100	3 ml	Pasteur pipette
5	10-100 micro litre	Auto pipettes
5	20-200 microlitre	Auto pipettes
5	100-1000 microlitre	Auto pipettes
50		Rubber teats
10	10 packets	Measuring Scoops
100		Glass slides for microscope
20		Universal micro tipbox
1000	10-100 micro litre	Tips for autopipettes
1000	20-200 microlitre	Tips for autopipettes
1000	100-1000 microlitre	Tips for autopipettes
1000	15 ml	Test tube
1000	20 ml	Test tube
500	30 ml	Test tube(Thick)
50		Test tube racks
60		Test tube holder
10		Test tube brush different sizes

BEAN & COMPANY
 Sahasra Lakshmi Hospital
 Medical College & Hospital
 Kozhikode, Kerala

SI No.	Item	Qty Allowed	Total required	Additional Requirement
1	Hand-Grip Dynamometer	1	10	9
2	Mosse' Ergograph	6	10	4
3	Electronic Stimulator	1	10	9
4	O2 Cylinder with Trolley	6	10	4
5	Knee Hammer	12	40	28
6	Newton's Colour Wheel	1	15	14
7	Electric Time Makers, 100/sec	6	10	4

4. The following items along with required ENHANCED quantity is being added under the Lot.3/Package 2(ii) (Department of Physiology). Such as

SI no	Items	Qty
1	Volume recorders	6
2	Isolated organs, bath for students complete with liver etc	10
3	Anaesthesia boxes	1
4	Surgical instruments for operative procedures	20
	Syringes, pulleys, fine scissor, long scissor, pithing needle etc.	
5	Douglas bag complete	6
6	Basal metabolism apparatus	1
7	Algotometer	3
8	Apparatus for passive movement	1
9	Tuning fork 100-256Hz , 512Hz to test hearing	40
10	Kymograph Electric motor Driven	30

3. The following items along with required quantity is being added under the Lot.3/Package 2 (Department of Physiology). Such as

Conical flasks	100 ml	50
Conical flasks	250 ml	20
Conical flasks	500 ml	10
Conical flasks	1000 ml	10
Conical flasks	2000 ml	10
Round bottom flask	100 ml	100
Volumetric flask	500 ml	10
Volumetric flask	1000 ml	10

2. Commercial Parameter:

Amendment to:

(.) Eligibility Criteria

Sl. No.	1.	Page 6: Point No. 8 (viii)
Sl. No.	1.	Provision in the published Bid Document
		Modification now made
		Copies of PAN Card, Service Tax Registration Certificate, Up to date VAT Clearance Certificate, etc.
		Copies of PAN Card, Service Tax Registration Certificate, Up to date VAT Clearance Certificate, etc.

(.) General Conditions of Contract

Sl. No.	1.	Page 18: Point No. 28
Sl. No.	1.	Provision in the published Bid Document
		Modification now made

Sl. No.	1.	Page 18: Point No. 28
Sl. No.	1.	Provision in the published Bid Document
		Modification now made
		<p>The Purchaser shall compare the evaluated prices of all substantially technically responsive bids for each item in case of Lot 1 and for each Package in case of Lot 2, Lot 3 & Lot 4 to determine the lowest evaluated bid for each item in case of Lot 1 and for each Package in case of Lot 2, Lot 3 & Lot 4. Hence, the bidders are requested to quote for all the items of the individual Package under Lot 2, Lot 3 and Lot 4. Prices shall be considered for evaluation like below –</p> <p>The quoted rate should include excise / customs duty, transportation, insurance, packing & forwarding or any other incidental charges.</p> <p>28.1 In case of bidders who have quoted CST (firms not registered under Odisha VAT), GST as mentioned in the Price Bid by the bidder shall be added to the quoted rate for price evaluation.</p> <p>28.2 In case of bidders who have quoted VAT (firms registered under Odisha VAT), VAT as mentioned in the Price Bid by the bidder shall be excluded for price evaluation.</p> <p>28.3 Entry Tax will not be considered for price evaluation.</p> <p>28.4 After giving price preferences to eligible local MSE Units of Odisha.</p> <p>28.5 As per the Govt. of Odisha Finance Deptt. Order No.13290/F dt.02.04.2013, "in comparing the cost of an article, if purchased</p>
		<p>28.1 Deleted.</p> <p>28.2 Deleted.</p> <p>28.3 Entry Tax will not be considered for price evaluation.</p> <p>28.4 After giving price preferences to eligible local MSE Units of Odisha.</p> <p>28.5 Deleted.</p> <p>28.6 The basic price, Installation cost (if any), CMC (wherever applicable as mentioned in list of item requirement) and Cost of reagents (wherever applicable) shall be taken into account for evaluation.</p>

DEPARTMENTAL
Sahed Lohar, Deputy
Medical College & Hospital,
Bhubaneswar, ODISHA

DEAN & PRINCIPAL
 Saheed Lakshmi Narayn
 Medical College & Hospital
 Koraput, ODI 751 022

<p>1. SL. No. Provision in the published Bid Document</p>	<p>Page 33: Point No. 20.2</p>
<p>Modification now made</p>	<p>This clause will apply only to variations in VAT/Octroi, etc. payable in India on the final product which is being supplied and not for the individual components / raw materials which go into the product. This clause will apply only to variations in GST/Octroi, etc. payable in India on the final product which is being supplied and not for the individual components/ raw materials which go into the product.</p>

.) Special Conditions of Contract

<p>28.7 Bids which do not contain prices for CMC, wherever applicable, shall be rejected</p>	<p>from within the State with the price of similar article if purchased from outside the State, the amount of Odisha Sales Tax (OST), now VAT, shall be deducted from the total cost since it accrues back as revenue to the State. If after such deduction, the cost of articles to be purchased within the State is not more than the cost of including Central Sales Tax, transport and other charges of similar articles from outside the State, it would be economical to purchase articles within the State".</p> <p>28.6 The basic price, installation cost (if any), CMC (wherever applicable as mentioned in list of item requirement) and Cost of reagents (wherever applicable) shall be taken into account for evaluation.</p> <p>28.7 Bids which do not contain prices for CMC, wherever applicable, shall be rejected.</p>
--	--

D.) Annexures

Sl. No. **1.** Page 131 - Annexure VI/1

Modification now made

Provision in the published Bid Document

PRICE SCHEDULE FOR EQUIPMENTS

PRICE SCHEDULE FOR EQUIPMENTS

(To be furnished in Cover "B" - Financial Bid)

(To be furnished in Cover "B" - Financial Bid)

Sl. No.	Name of the Item	No. of Units	Unit Price (Inclusive of installation charge and other services required to convey the Goods to their final destinations) (Rs.)	VAT		CST		Any Other Tax (Pl. mention)		Total Cost (Inclusive of Taxes) (Rs.) (=5+9)
				%age	Amount (Rs.)	%age	Amount (Rs.)	%age	Amount (Rs.)	
1										
2										
3										
4										
5										
6										
7										
Total Cost (Col. 12 above): Rs.....				(in words)						

Sl. No.	Name of the Item	No. of Units	Unit Price (Inclusive of customs duty, transportation, insurance, packing & forwarding, installation charge and other services required to convey the Goods to their final destinations) (Rs.)	GST		Any Other Tax (Pl. mention)		Total Cost (Inclusive of Taxes) (Rs.) (=5+7+8)
				%age	Amount (Rs.)	%age	Amount (Rs.)	
1								
2								
3								
4								
5								
6								
7								
Total Cost (Col. 12 above): Rs.....				(in words)				

BE/AN/ANNEXURE VI
 Sd/-
 Medical Officer
 10/01/2018

2. Page 133 - Annexure VI/3

Tax (%) : _____, Pl. mention whether CST or OVAT : _____

Tax (%) : _____

4. Page 96 - Annexure IV: Details of Service Centres

Note: The amendments mentioned above are to be treated as amendments in the terms and conditions of the bid document. All other terms & conditions of the published bid document will remain same.

The bidders have to sign and submit copies of this Minutes and Amendment along with the bid documents. Each page of the bid document as well as these Minutes and Amendment are to be signed by the authorized Signatory of the bidder.

Sd/-

DEAN & PRINCIPAL
Sahed Laxman Nayak
Medical College & Hospital
Koraput, ODISHA

Dean & Principal
SLNMCH, Koraput

Bank Guarantee Format for furnishing EMD

Whereas..... (hereinafter called the "tenderer") has submitted their offer dated..... for the supply of Laboratory Equipments (hereinafter called the "tender") against the purchase's tender enquiry No. PRMMCH/2017-18/LAB/01 Date: 07.04.2017.

KNOW ALL MEN by these presents that WE..... of having our registered office at are bound unto (hereinafter called the "purchaser") in the sum of for which payment will and truly to be made to the said purchaser, the bank binds itself, its successors and assigns by these presents.

Sealed with the common seal of the said Bank this day of 2017.

THE CONDITION OF THIS OBLIGATION ARE:

1. If the tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.
2. If the tenderer having been notified of the acceptance of his tender by the purchaser during the period of its validity:-
 - a) If the tenderer fails to furnish the performance security for the due performance of the contract.
 - b) Fails or refuses to accept/execute the contract.

WE undertake to pay the purchaser up to the above amount upon receipt of its first written demand, without the purchaser having to substantiate its demand, provided that in its demand the purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both two conditions, specifying the occurred condition or conditions.

This guarantee shall be valid until the day of 20.....

DEAN & PRINCIPAL
Sahed Laxman Nayak
Medical College & Hospital
Mangaluru, KERALA

We theBranch.....undertake not to revoke the guarantee during its currency expect with the previous consent of the MCH, Baripada in writing.

We theBranch..... further agree that a mere demand by MCH, Baripada is sufficient for us..... Branch at to pay the amount covered by the Bank Guarantee without reference to the said Agency and protest by said Agency cannot be valid ground for us.....Branch to decline payment to MCH, Baripada

.....
(Signature of the authorized officer of the Bank)

.....
Name and designation of the officer

.....
Seal, name & address of the Banks and address of the Branch

